

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1294	713/165.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/04 07:20
L2	2	L1 and @ad<"20011221" and @pd>"20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:20
L3	205	726/33.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/04 07:20
L4	0	L3 and @ad<"20011221" and @pd>"20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:20
L5	146	715/770.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/04 07:20
L6	0	L5 and @ad<"20011221" and @pd>"20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:20
L7	31	ZUI LI near PATRICK	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:21
L8	2	copy adj command with password	US-PGPUB; USPAT	OR	ON	2011/01/04 07:22
L9	0	L8 and @ad<"20011221" and @pd>"20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:22

L10	11	copy near2 command with password	US-PGPUB; USPAT	OR	ON	2011/01/04 07:22
L11	0	L10 and @ad<"20011221" and @pd>"20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:22
L12	2	copy with paste with command with password	US-PGPUB; USPAT	OR	ON	2011/01/04 07:22
L13	0	L12 and @ad<"20011221" and @pd>"20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:22
L14	52	copy with paste with password	US-PGPUB; USPAT	OR	ON	2011/01/04 07:22
L15	0	L14 and @ad<"20011221" and @pd>"20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:22
L16	18	clipboard with password	US-PGPUB; USPAT	OR	ON	2011/01/04 07:22
L17	0	L16 and @ad<"20011221" and @pd>"20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:22
L18	3	clipboard same copy\$4 with password	US-PGPUB; USPAT	OR	ON	2011/01/04 07:22
L19	0	L18 and @ad<"20011221" and @pd>"20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:22
L20	2	clipboard same command with password	US-PGPUB; USPAT	OR	ON	2011/01/04 07:22
L21	0	L20 and @ad<"20011221" and @pd>"20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:22
L22	14	copy adj command with prompt\$4	US-PGPUB; USPAT	OR	ON	2011/01/04 07:22
L23	0	L22 and @ad<"20011221" and @pd>"20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:22

L24	145	file adj key with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L25	0	L24 and @ad< "20011221" and @pd> "20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L26	92	key with header same secur\$4 near (document file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L27	0	L26 and @ad< "20011221" and @pd> "20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L28	69	key with header and determin\$4 with secur\$4 near (document file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L29	0	L28 and @ad< "20011221" and @pd> "20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L30	187	key with header and determin\$4 with secur\$4 near3 (document file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L31	0	L30 and @ad< "20011221" and @pd> "20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L32	188	key with header and (determin\$4 check\$4) with secur\$4 near2 (document file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L33	0	L32 and @ad< "20011221" and @pd> "20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23

L34	107	file near key same header and (determin\$4 check\$4) with secur\$4 near2 (document file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L35	0	L34 and @ad< "20011221" and @pd> "20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L36	417	(prevent\$4 disabl\$4 block \$4) with (clipboard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L37	0	L36 and @ad< "20011221" and @pd> "20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L38	151	replac\$4 with (clipboard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L39	0	L38 and @ad< "20011221" and @pd> "20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L40	57	replac\$4 with past\$4 same (clipboard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L41	0	L40 and @ad< "20011221" and @pd> "20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L42	1174	(copy\$4 cut\$4 past\$4) with secure near (file document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L43	0	L42 and @ad< "20011221" and @pd> "20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23

L44	60	(prevent\$4 block\$4 disabl\$4) with (clipboard past\$4) same (insecur\$4 unsecur\$4 ((in un) adj secur\$4) un adj protect\$4 unprotect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L45	0	L44 and @ad<"20011221" and @pd>"20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L46	215	(prevent\$4 disabl\$4 block\$4 allow\$4) with (past\$4 clipboard) same right same (protect\$4 secure sensitive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L47	0	L46 and @ad<"20011221" and @pd>"20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L48	308	clipboard with secur\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L49	0	L48 and @ad<"20011221" and @pd>"20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L50	22	determin\$4 with secure adj (file document) same (copy\$4 cut\$4 past\$4 clipboard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L51	0	L50 and @ad<"20011221" and @pd>"20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L52	1302	secure adj (file document) same (copy\$4 cut\$4 past\$4 clipboard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L53	0	L52 and @ad<"20011221" and @pd>"20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23

L54	209	(determin\$4 check\$4 test\$4) with secure adj (file document) and (copy\$4 cut\$4 past\$4 clipboard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L55	0	L54 and @ad< "20011221" and @pd> "20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L56	343	(file document) same (delet\$4 remov\$4 reaplc\$4 chang\$4 modify\$4 modification) with clipboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L57	0	L56 and @ad< "20011221" and @pd> "20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L58	52	(determin\$4 detect\$4) same (delet\$4 remov\$4 reaplc\$4 chang\$4 modify\$4 modification) near2 clipboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L59	0	L58 and @ad< "20011221" and @pd> "20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L60	87	("5146553"   "5175895"   "5187788"   "5237691"). PN. OR ("5392386"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2011/01/04 07:23
L61	0	L60 and @ad< "20011221" and @pd> "20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L62	539	(delet\$4 remov\$4 reaplc\$4 chang\$4 modify\$4 modification) near2 clipboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L63	320	L62 and secur\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23

L64	0	L63 and @ad< "20011221" and @pd> "20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L65	355	(delet\$4 remov\$4 reaplc \$4 chang\$4 modify\$4 modification) with clipboard same copy\$4 with clipboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L66	0	L65 and @ad< "20011221" and @pd> "20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L67	32	monitor\$4 with clipboard same (secur\$4 encrypt\$4 encipher\$4 cipher\$4 confidential)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L68	0	L67 and @ad< "20011221" and @pd> "20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L69	47	monitor\$4 with clipboard same (delet\$4 modify\$4 modification remov\$4 chang\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23
L70	0	L69 and @ad< "20011221" and @pd> "20101101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/04 07:23

### EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L71	0	(copy adj command with (flag indicator) with authenticat\$4). clm.	USPAT; UPAD	OR	ON	2011/01/04 07:28
L72	1	(copy adj command with authenticat\$4). clm.	USPAT; UPAD	OR	ON	2011/01/04 07:28
L73	1	(copy adj command same authenticat\$4). clm.	USPAT; UPAD	OR	ON	2011/01/04 07:30

L74	4	(copy near select\$4 same authenticat\$4). clm.	USPAT; UPAD	OR	ON	2011/01/04 07:31
L75	3	(clipboard same authenticat\$4).clm.	USPAT; UPAD	OR	ON	2011/01/04 07:32

**1 / 4 / 11 7:34:25 AM**

**C:\ Documents and Settings\ mpyzocha1\ My Documents\ EAST\ Workspaces\ 10028397-11.  
wsp**